

Highveld to Kruger Region
BIRDING AND WILDLIFE SAFARI
25 November – 1 December 2019
TRIP REPORT



White-starred Robin

Summary

Tour Leaders: Michael Wright

Tour Participants: Thomas De Meulenaer

Total Distance Travelled: 1,801 kms

Temperature Range: 14-34°C

Total Birds: 293 seen and 9 heard

Total Mammals: 40 seen

Total Reptiles & Amphibians: 11 seen

Top 10 Birds of the Trip: Cape Parrot, Black-fronted Bush-Shrike, Great Spotted Cuckoo, Narina Trogon, Southern Pied Babbler, Ground Woodpecker, Sentinel Rock-Trush, Barratt's Warbler, White-backed Mousebird, Eastern Long-billed Lark.

© Sustain Wildlife and Birding Safaris

Note: All images included in the report are from this particular trip.

Trip Breakdown and Report:

Day 1: 25 November 2019 – Pilanesberg National Park

Our group met up in Johannesburg near OR Tambo International Airport, and we immediately departed for Pilanesberg National Park, picking up our first few birds along the highway en route. Upon arriving at the Park, we immediately checked in and offloaded our gear at our very comfortable accommodation – Bakubung Game Lodge. We added a few more regular species in the lodge grounds, before heading into the Park for 2 hours, before returning to hop onto the evening guided game drive.

Our bird tally grew quickly, as we added species such as African Wattled Lapwings, Green-winged Pytilia, Red-faced Mousebirds, Speckled Pigeon, Lesser Grey Shrike, Groundscraper Thrush, and Dusky Indigobird at the western extremity of its highveld range. African Black Duck surprised us on the open water of Lengau Dam, as it was accompanied by Knob-billed Ducks and African Spoonbill. While the other spots of open water added Caspian Tern and Great Egret. Nice transition zone species included Capped Wheatear, Black-throated Canary, Marico Flycatcher, Kalahari Scrub-Robin, White-browed Sparrow-Weaver, and Rufous-cheeked Nightjar just after sunset, which is always a win.

On the mammal front we were delighted to find 5 Mountain Reedbuck a mere 2km into the Park, very uncommon in these parts, and this was followed by a pride of 5 lions lazing about in the short grass near Ruighoek Dam, and then a great sighting of 3 Black Rhinos together (a bull, cow and growing calf – probable mating going on), one of the old Kruger bull Elephants passed us within a metre or two, and many Hippo with calves grazing around Mankwe Dam during delicious sundowners.

The eventful day was ended with the most scrumptious buffet dinner, with an extraordinary selection, and some delectable red wine.

Route:	Johannesburg to Pilanesberg National Park (238km).
Weather:	Partly cloudy most of the day.
Temperature range:	19-29°C.
Birds of the Day:	Capped Wheatear, Rufous-cheeked Nightjar, Dusky Indigobird, African Black Duck.
Mammals of the Day:	Mountain Reedbuck, 3 Black Rhino together, lazy Lion pride, large Elephant bull very near.
Daily Bird Total:	75 seen and 5 heard.
Daily Mammal Total:	16 seen.



Scaly-feathered Finch



3 Black Rhinos

Day 2: 26 November 2019 – Pilanesberg to Nylsvley

The next day proved to be the most productive of the trip. We headed out early on a morning drive into the Park, returned to pack, and then headed back through the Park to exit through Bakgatla Gate. This

© Sustain Wildlife and Birding Safaris

added, amongst many others: Cinnamon-breasted Bunting, Mocking Cliff-Chat, Desert Cisticola, Long-billed Crombec, Namaqua Dove, African Fish-Eagle, Black-chested Snake-Eagle, Hamerkop, Glossy Ibis, Black-chested Prinia, Cape Sparrow, Marabou Stork, Chestnut-vented Tit-Babbler, Black-cheeked Waxbill, and Violet-eared Waxbill.

We departed Pilanesberg for Zaagskuilsdrift, and travelled through the Waterberg. This route added some good birds along the way, as well as many interesting and exotic mammal sightings through the fences of the many breeding and hunting farms. New birds included Red-billed Buffalo-Weaver, Red-headed Weaver, Giant Kingfisher, Purple Roller, Common House Martin, Shikra, Scaly-feathered Finch, and then the great surprise of Great Spotted Cuckoo flyby.

Our time on the Zaagskuilsdrift road added others, including Southern Pied Babbler, Ant-eating Chat, Northern Black Korhaan, Woodland Kingfisher, Bearded Scrub-Robin, Magpie Shrike, Wattled Starling, and Intermediate (Yellow-billed) Egret.

We then headed toward Nylsvley for our overnight stop at the charming and luxury Zwahili Private Game Lodge & Spa. Along the back roads of this route we were pleasantly surprised by good sightings of Mosque Swallow, Chestnut-backed Sparrow-Lark, Greater Kestrel, and a distant flock of Lesser Kestrels.

On the mammal front we added some interesting ones, such as White Rhino, Red Hartebeest, and Eland in Pilanesberg, and then Golden Wildebeest, Sable, and Springbok in the game farms.

After a fair amount of travel, the productive day ended with a great meal and some choice beverages and wine.

- Route:** Pilanesberg to Zaagskuilsdrift to Zwahili (332km).
Weather: Partly cloudy most of the day.
Temperature range: 20-32°C.
Birds of the Day: Great Spotted Cuckoo, Southern Pied Babbler, Northern Black Korhaan, Mosque Swallow, Chestnut-backed Sparrow-Lark, Greater Kestrel.
Mammals of the Day: White Rhino, Eland, Sable.
Daily Bird Total: 142 seen and 3 heard.
Daily Mammal Total: 20 seen.



Chestnut-backed Sparrow-Lark male



Day 3: 27 November 2019 – Nylsvley to Woodbush Forest Reserve

Early the next morning, we set off on an enjoyable open safari vehicle game drive around Zwahili. Some of what we picked up included Orange-breasted Bush-Shrike, Red-crested Korhaan, Common Ostrich, Willow Warbler, Marico Sunbirds, Black-crowned Tchagra, and Violet-backed Starling. We also enjoyed great views of Eland and a pair of Lions.

We then departed for Nylsvley in the hope of finding water and wetland, only to be sorely disappointed – it was still dry as a bone, which really dented our rallid and waterbird count. Nonetheless, we encountered the following new birds within the reserve Acacia Pied Barbet, Lark-like Bunting, Rock Martin, Long-tailed Paradise Whydah.

So, we pressed on toward Polokwane Nature Reserve in the hopes of locating Short-clawed Lark, only to dip on that. We did add Burnt-necked Eremomela and Crimson-breasted Shrike however,

before pressing on further toward Magoebaskloof and our 2-night stop at Bramasole Guesthouse, near the base of Woodbush Forest Reserve.

The drive into Bramasole passed a wetland and stream, which produced Yellow Bishop, Dark-capped Yellow Warbler, and some surprise out-of-range White-backed Mousebirds. We then briefly walk through the gardens and mistbelt forest before sunset, which rendered Chorister Robin-Chat, White-browed Robin-Chat, and Yellow-bellied Greenbul.

Another busy day through varied habitats ended with a great dinner and a very comfortable sleep at the eclectic and stylish Bramasole, with its artsy style and culture-themed rooms.

Route: Zwahili Private Game Lodge & Spa to Nylsvley Nature Reserve to Polokwane Nature Reserve to Magoebaskloof (228km).

Weather: Clear.


Temperature range: 19-32°C.

Birds of the Day: Burnt-necked Eremomela, Crimson-breasted Shrike, Lark-like Bunting, Dark-capped Yellow Warbler, White-backed Mousebird.

Mammals of the Day: Eland, Lion.

Daily Bird Total: 111 seen and 4 heard.

Daily Mammal Total: 21 seen.



Cape Parrots



Yellow-streaked Greenbul

Day 4: 28 November 2019 – Woodbush Forest Reserve and surrounds

We awoke and set off at dawn to climb up into the glorious Woodbush Forest. The new species for the trip started flowing thick and fast, starting with Greater Double-collared Sunbirds, Cape Canary and Forest Canary. We then headed up to the Forest Hut and immediately picked up our main target while still in the car park, a small flock of 4 Cape Parrots settled right overhead with a few African Olive Pigeons. This was shortly followed by a walk into a pristine indigenous forest section, which roved a treasure trove – we added Terrestrial Brownbul, Olive Bush-Shrike, magnificent African Emerald Cuckoos, superb views of White-starred Robin, Narina Trogon, Yellow-streaked Greenbul, and on the way out, Olive Woodpecker and Grey Cuckooshrike.

We headed back to Bramasole for brunch, added Barratt's Warbler and Bar-throated Apalis near the stream before the gate, and enjoyed the beautifully landscaped gardens. We then visited Haenertsburg for some supplies, and stopped at Stanford Lake en route, where we added Woolly-necked Stork, White-throated Swallow, African Swamphen and White-winged Tern. From there we headed onto the open grasslands of the Louis Changuion Trail, where we added Alpine Swift, Drakensberg Prinia and Long-crested Eagle.

After a light lunch we climbed Forest Drive toward Debengeni Falls, and picked up Blue-mantled Crested Flycatcher, White-throated Robin-Chat, Sombre Greenbul and Chorister Robin-Chat. At the Falls, we enjoyed fantastic views of Mountain Wagtail. Shortly after, we ascended higher up the trail and included Knysna Turaco, and another big target – Black-fronted Bush-Shrike. As the sun began setting, we added a lovely flock of Sweet Waxbills.

After another very productive and active day that included many endemics and specials, we relaxed to another tasty dinner and good rest.

Route: Around Woodbush Forest and Haenertsburg.
Weather: Clear or partly cloudy most of the day.
Temperature range: 14-33°C.
Birds of the Day: Cape Parrot, Black-fronted Bush-Shrike, Barratt's Warbler, African Emerald Cuckoo.
Mammals of the Day: Samango Monkey.
Daily Bird Total: 99 seen and 3 heard.
Daily Mammal Total: 2 seen and 1 heard.



Dark-capped Yellow Warbler



Male Lion – one of the coalition brothers

Day 5: 29 November 2019 – Magoebaskloof to Balule Private Game Reserve

The following morning, we explored the forest above Bramasole and the gardens and enjoyed great views of Chorister Robin-Chat, Cape Parrots gave a most welcome flyover, Cape Batis, Terrestrial Brownbul, Olive Bush-Shrike and Brimstone Canary. We then packed to depart on a descent into the lower altitudes as we pushed on through Tzaneen towards our next destination, Toro Yaka Game Lodge in the Balule Private Game Reserve – part of the Greater Kruger.

The heat was really starting to set in, especially as we descended the escarpment into the drier lowveld. En-route to Balule, we visited the old Bat Hawk nest site near Agatha. Unfortunately, we learnt from a passing forester that they had left the nest a few weeks prior.

So, we continued on our journey, picking up Pearl-breasted Swallow, Malachite Kingfisher and Cape Weaver from a river bridge, and this was followed by Brown Snake-Eagle, just before arriving at the Balule entrance. The heat was really starting to set in, and on our drive through to Toro Yaka we added Tawny Eagle and a few others.

After settling into the lovely quaint lodge, we set off on our evening open safari vehicle drive, adding numerous bushveld species. However, the real highlights of the drive were on the mammal – front a coalition of 2 dominant male lions, which put on a very impressive roaring territorial display from only a few metres of us. After delightful sundowners and snacks around a dam filled with grunting hippos, the excitement and appreciation levels grew further when we encountered a gorgeous African Wild Cat on the hunt, which stayed near our vehicle for several minutes pursuing small prey items. Within a minute of leaving this we bumped into a Black Rhino in the darkness.

The eventful day was ended with the most scrumptious dinner set around the pool deck beneath the starry sky.

Route: Magoesbaskloof to Tzaneen to Balule to Toro Yaka Game Lodge (192km).
Weather: Clear most of the day.

Temperature range: 14-34°C.

Birds of the Day: Cape Parrot, Tawny Eagle

Mammals of the Day: African Wild Cat, Black Rhino, 2 male Lions roaring

Daily Bird Total: 78 seen and 11 heard

Daily Mammal Total: 13 seen.



African Wild Cat



Plain-backed Pipit

Day 6: 30 November 2019 – Balule Private Game Reserve to Dullstroom

The next morning we set off early on another open safari vehicle drive for the Olifants River, quite a distance from camp. Along the way, we found Red-headed Weavers and Red-billed Buffalo Weavers, and then on our approach to the perennial river a very large rusty-toned raptor alighted from the riverine tree, but only fleeting glimpses were possible before it disappeared from view – there was a strong belief that it was a Pel's Fishing-Owl, but cannot be sure. A real misfortune, as it was our primary target.

Nonetheless, we did see a whole lot more, including an African Crowned-Eagle, Green-backed (Striated) Heron, and feeding in the Sycamore Figs were several African Green Pigeons. We then left the vehicle to enjoy good hot drinks and snacks, and to explore the river bank on foot, adding White-fronted Bee-eaters and Jacobin Cuckoo. Upon jumping back onto the vehicle, we drove the riverbank road and enjoyed a White-backed Vulture with an immature bird on its nest, as well as Goliath Heron and Black Stork mid-stream.

We then started pulling away from the river, to return to the lodge. We had not ventured far before a pair of African Hawk-Eagles performed a fly-over. Upon discovering a small herd of elephant, we again alighted from the vehicle and our guide lead us up to within 35m of them on foot, for a more real encounter. We then found Common Scimitarbill, African Paradise-Flycatcher, African Mourning Dove, Green Woodhoopoe, and many others before arriving back at the lodge for a delicious brunch.

Sadly, we had to depart, up the pass for different habitats on the Mpumalanga highlands. We stopped at the JG Strydom Tunnel with hopes of sighting Taita Falcons, but we dipped on these. However, they were replaced by an extraordinary high-speed and acrobatic display by three extraordinary Peregrine Falcons, that have chased the Taitas off their renowned nesting sites and have replaced them. We then added Cape Crow and Booted Eagle while en route to the extraordinary moist altitudinal grasslands and rocky cliffs of Mount Anderson Wildlife and Water Catchment Reserve, which forms the source of the acclaimed Sand River.

Upon reaching Mount Anderson we were delighted to add Buffy Pipit, Plain-backed Pipit, Croaking Cisticola and Fiscal Flycatcher, amongst many others. On the mammal front we found Mountain Reedbuck, a herd of 6 Oribi and numerous others.

We then departed for our overnight destination at the magnificent Walkersons Hotel & Spa in the spectacular Walkersons Country Estate – what a special destination to spend our final night of this great trip. On the drive through the estate to the hotel we were treated to a pair of Cape Clawless Otters hunting through the weired waterways. The eventful day ended with great country accommodation, welcome drinks and a high class a la carte dinner.

Route: Toro Yaka to Hoedspruit, to JG Strydom to Mount Anderson to

Walkersons (211km).
Weather: Clear most of the day.
Temperature range: 19-34°C.
Birds of the Day: Plain-backed Pipit, Buffy Pipit, Booted Eagle, Black Stork
Mammals of the Day: Mountain Reedbuck, Oribi, Cape Clawless Otter.
Daily Bird Total: 120 seen and 9 heard.
Daily Mammal Total: 14 seen.



African Elephant on foot



White-backed Vulture

Day 7: 01 December 2019 – Dullstroom to White River

The next morning we headed out early through Walkersons for the special Verloren Vallei Nature Reserve. We were barely out the parking area when we were treated to a delightful Klaas' Cuckoo pair in a gorgeous courtship display. A little further down the road toward the estate gate we discovered Cape Grassbirds. We again stopped at a small weir to find a Lesser Swamp Warbler.

We then exited and headed off for Verloren Vallei, and soon picked up Jackal Buzzard, Fan-tailed Widowbird and Long-tailed Widowbird. We drove the border road while waiting for the reserve gate to open, and were treated to many delights, including Wing-snapping Cisticola, displaying Yellow-breasted Pipit, Eastern Long-billed Lark, Pale-crowned Cisticola, Cape Longclaw, a Sentinel Rock-Thrush pair and a scurrying Yellow Mongoose, which proved a great start.

Upon entering the reserve, we found Rock Kestrel flying low overhead, Malachite Sunbirds, Buff-streaked Chats, Banded Martin, Streaky-headed Seedeater, and Common Quail. We also picked up distant views of a flock of Blue Cranes, Black Wildebeest and Common Reedbuck.

Unfortunately, with so much of this gem of a reserve still to explore, we needed to return to Walkersons for a delightful brunch and to check out. Bidding this gorges estate goodbye, we headed for the Tonteldoos Road in search of more treats. We first discovered Red-throated Wryneck and Cinnamon-breasted Bunting, and finished off the new birds with great views of a major target, the endemic Ground Woodpecker.

It was time to head for the drop-off point in White River, so we headed down the N4 pass, and had one last stop at Milly's in Machadadorp, where we added our last new bird, Whiskered Terns. We pushed on to the guesthouse in White River, and just before dropping our client, we had one last search for the local Bat Hawk pair, but these again evaded us.

All-in-all, it was a magical trip that produced so many great special and endemic birds, and delivered handsomely on the mammal front as well. Our Belgian client was very pleased with the outcome of the tri and the great adventure we had just undertaken together. He was amazed at the extraordinary biodiversity offering, habitat range and scenic beauty is on offer in the north-eastern arts of this glorious country.

Route: Walkersons to Verloren Vallei to around Dullstroom to White River (142km).
Weather: Clear most of the day.
Temperature range: 14-31°C.

© Sustain Wildlife and Birding Safaris

Birds of the Day: Ground Woodpecker, Yellow-breasted Pipit, Eastern Long-billed Lark, Blue Crane, Klaas' Cuckoo pair courting, Cape Grassbird, Sentinel Rock-Thrush

Mammals of the Day: Yellow Mongoose, Black Wildebeest

Daily Bird Total: 94 seen 7 heard.

Daily Mammal Total: 11 seen.



Mountain Reedbuck



Sentinel Rock-Thrush female

NOTE:

The reason for our not heading into the famed Kruger National Park on this trip was that our client was spending a week in Marloth Park and 3 nights in the Sabi Sands, and hence was going to enjoy ample wildlife and birding time in these parts.

Species

Note: Species listed were seen by the guide and at least one member of the tour group.

Birds



Mountain Wagtail



Peregrine Falcon

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
1	Bar-throated Apalis	<i>Apalis thoracica</i>					1				1
2	Arrow-marked Babbler	<i>Turdoides jardineii</i>		H	1	1			1	1	4
3	Southern Pied Babbler	<i>Turdoides bicolor</i>			1						1
4	Acacia Pied Barbet	<i>Tricholaema leucomelas</i>				1					1
5	Black-collared Barbet	<i>Lybius torquatus</i>			1	1		1	1		4

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
6	Crested Barbet	<i>Trachyphonus vaillantii</i>		H	1	1		H	1		3
7	Cape Batis	<i>Batis capensis</i>					1	1			2
8	Chinspot Batis	<i>Batis molitor</i>				1			1		2
9	European Bee-eater	<i>Merops apiaster</i>			1	1	1		1	1	5
10	Little Bee-eater	<i>Merops pusillus</i>				1			1		2
11	White-fronted Bee-eater	<i>Merops bullockoides</i>							1		1
12	Southern Red Bishop	<i>Euplectes orix</i>							1	1	2
13	Yellow Bishop	<i>Euplectes capensis</i>				1	1	1		1	4
14	Southern Boubou	<i>Laniarius ferrugineus</i>			1				1		2
15	Terrestrial Brownbul	<i>Phyllastrephus terrestris</i>					1	1	1		3
16	Dark-capped Bulbul	<i>Pycnonotus tricolor</i>		1	1	1	1	1	1	1	7
17	Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>			1					1	2
18	Golden-breasted Bunting	<i>Emberiza flaviventris</i>				1			1		2
19	Lark-like Bunting	<i>Emberiza impetvani</i>				1					1
20	Black-fronted Bush-S0hrike	<i>Chlorophoneus nigrifrons</i>					1				1
21	Grey-headed Bush-Shrike	<i>Malaconotus blanchoti</i>				H					0
22	Olive Bush-Shrike	<i>Chlorophoneus olivaceus</i>					1	1			2
23	Orange-breasted Bush-Shrike	<i>Chlorophoneus sulfureopectus</i>				1					1
24	Common (Steppe) Buzzard	<i>Buteo buteo</i>			1			1	1	1	4
25	Jackal Buzzard	<i>Buteo rufofuscus</i>					1			1	2
26	Green-backed Camaroptera	<i>Camaroptera brachyura</i>			H	H		H	H		0
27	Black-throated Canary	<i>Crithagra atrogularis</i>		1	1						2
28	Brimstone Canary	<i>Crithagra sulphurata</i>							1	1	2
29	Cape Canary	<i>Serinus canicollis</i>					1	1		1	3
30	Forest Canary	<i>Crithagra scotops</i>					1	1			2
31	Yellow-fronted Canary	<i>Crithagra mozambica</i>		1	1	1	1	1	1	1	7
32	Ant-eating Chat	<i>Myrmecocichla formicivora</i>			1				1	1	3
33	Buff-streaked Chat	<i>Campicoloides bifasciatus</i>								1	1
34	Familiar Chat	<i>Oenathe familiaris</i>		1	1						2
35	Mocking Cliff Chat	<i>Thamnolaea cinnamomeiventris</i>			1						1
36	Croaking Cisticola	<i>Cisticola natalensis</i>							1		1
37	Desert Cisticola	<i>Cisticola aridulus</i>			1						1
38	Levaillant's Cisticola	<i>Cisticola tinniens</i>							1		1
39	Pale-crowned Cisticola	<i>Cisticola cinnamomeus</i>								1	1
40	Rattling Cisticola	<i>Cisticola chiniana</i>		1	1	1	1	1	1	1	7
41	Wailing Cisticola	<i>Cisticola lais</i>					1		1	1	3
42	Wing-snapping Cisticola	<i>Cisticola ayresii</i>							1	1	2
43	Zitting Cisticola	<i>Cisticola juncidis</i>		1	1					1	3
44	Red-knobbed Coot	<i>Fulica cristata</i>					1				1
45	Reed Cormorant	<i>Microcarbo africanus</i>		1	1	1	1	1		1	6
46	White-breasted Cormorant	<i>Phalacrocorax lucidus</i>					1				1
47	Burchell's Coucal	<i>Centropus burchellii</i>			1		1	1	1		4

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
48	Black Crake	<i>Amaurornis flavirostra</i>					1		1	1	3
49	Blue Crane	<i>Grus paradisea</i>	NT, VU							1	1
50	Long-billed Crombec	<i>Sylvietta rufescens</i>			1	1			1		3
51	Cape Crow	<i>Corvus capensis</i>							1	1	2
52	Pied Crow	<i>Corvus albus</i>		1	1	1	1	1	1	1	7
53	African Emerald Cuckoo	<i>Chrysococcyx cupreus</i>					1				1
54	Black Cuckoo	<i>Cuculus clamosus</i>				1					1
55	Diederik Cuckoo	<i>Chrysococcyx caprius</i>		H	1	1	H	H	1	1	4
56	Great Spotted Cuckoo	<i>Clamator glandarius</i>			1						1
57	Jacobin Cuckoo	<i>Clamator jacobinus</i>							1		1
58	Klaas's Cuckoo	<i>Chrysococcyx klaas</i>								1	1
59	Red-chested Cuckoo	<i>Cuculus solitarius</i>			H	1	H	H		H	1
60	Grey Cuckooshrike	<i>Coracina caesia</i>					1				1
61	African Darter	<i>Anhinga rufa</i>		1							1
62	African Mourning Dove	<i>Streptopelia decipiens</i>				H			1		1
63	Cape Turtle Dove	<i>Streptopelia capicola</i>		1	1	1	1	1	1	1	7
64	Emerald-spotted Wood Dove	<i>Turtur chalcospilos</i>						1	1		2
65	Laughing Dove	<i>Spilopelia senegalensis</i>		1	1	1	1	1	1	1	7
66	Namaqua Dove	<i>Oena capensis</i>			1					1	2
67	Red-eyed Dove	<i>Streptopelia semitorquata</i>		1	1			1	1	1	5
68	Rock Dove	<i>Columba livia</i>		1	1	1					3
69	Fork-tailed Drongo	<i>Dicrurus adsimilis</i>		1	1	1	1	1	1		6
70	African Black Duck	<i>Anas sparsa</i>		1							1
71	Knob-billed Duck	<i>Sarkidiornis melanotos</i>		1	1	1	1				4
72	White-faced Whistling Duck	<i>Dendrocygna viduata</i>		1	1	1					3
73	Yellow-billed Duck	<i>Anas undulata</i>		1	1	1	1	1		1	6
74	African Fish Eagle	<i>Haliaeetus vocifer</i>			1						1
75	African Hawk Eagle	<i>Aquila spilogaster</i>							1		1
76	Black-chested Snake Eagle	<i>Circaetus pectoralis</i>			1	1					2
77	Booted Eagle	<i>Hieraaetus pennatus</i>							1		1
78	Brown Snake Eagle	<i>Circaetus cinereus</i>						1	1		2
79	Crowned Eagle	<i>Stephanoaetus coronatus</i>	VU, NT				H		1		1
80	Long-crested Eagle	<i>Lophaetus occipitalis</i>					1			1	2
81	Tawny Eagle	<i>Aquila rapax</i>	EN, VU					1			1
82	Great Egret	<i>Egretta alba</i>		1	1						2
83	Little Egret	<i>Egretta garzetta</i>		1	1						2
84	Western Cattle Egret	<i>Bubulcus ibis</i>		1	1	1	1	1	1	1	7
85	Yellow-billed (Intermediate) Egret	<i>Ardea intermedia</i>			1					1	2
86	Burnt-necked Eremomela	<i>Eremomela usticollis</i>				1					1
87	Peregrine Falcon	<i>Falco peregrinus</i>							1		1
88	Scaly-feathered Finch	<i>Sporopipes squamifrons</i>			1	1	1				3

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
89	African Firefinch	<i>Lagonosticta rubricata</i>			1	1	1	1	1		5
90	Red-billed Firefinch	<i>Lagonosticta senegala</i>			1						1
91	Southern (Common) Fiscal	<i>Lanius collaris</i>				1	1	1	1	1	5
92	African Dusky Flycatcher	<i>Muscicapa adusta</i>					1	1	1	1	4
93	African Paradise Flycatcher	<i>Terpsiphone viridis</i>					1		1		2
94	Ashy Flycatcher	<i>Muscicapa caerulescens</i>			1	1					2
95	Blue-mantled Crested Flycatcher	<i>Trochocercus cyanomelas</i>					1	H			1
96	Fiscal Flycatcher	<i>Melaeornis silens</i>							1	1	2
97	Marico Flycatcher	<i>Melaeornis mariquensis</i>		1	1	1			1		4
98	Southern Black Flycatcher	<i>Melaenornis pammelaina</i>			1	1	1				3
99	Spotted Flycatcher	<i>Muscicapa striata</i>				1					1
100	Crested Francolin	<i>Dendroperdix sephaena</i>		H	1	1			1		3
101	Red-winged Francolin	<i>Scleroptila levaillantii</i>								H	0
102	Grey Go-away-bird	<i>Corythaixoides concolor</i>		1	1	1	1	1	1	1	7
103	Egyptian Goose	<i>Alopochen aegyptiaca</i>		1	1	1	1	1	1	1	7
104	Spur-winged Goose	<i>Plectropterus gambensis</i>		1	1	1	1				4
105	Cape Grassbird	<i>Sphenoecus afer</i>								1	1
106	Little Grebe	<i>Tachybaptus ruficollis</i>		1	1					1	3
107	Sombre Greenbul	<i>Andropadus importunus</i>					1				1
108	Yellow-bellied Greenbul	<i>Chlorocichla flaviventris</i>				1					1
109	Yellow-streaked Greenbul	<i>Phyllastrephus flavostriatus</i>					1	1			2
110	Common Greenshank	<i>Tringa nebularia</i>			1				1		2
111	Helmeted Guineafowl	<i>Numida meleagris</i>		1	1	1			1	1	5
112	Hamerkop	<i>Scopus umbretta</i>			1	1	1		1		4
113	African Harrier-Hawk	<i>Polyboroides typus</i>					1		1		2
114	Black-headed Heron	<i>Ardea melanocephala</i>			1				1	1	3
115	Goliath Heron	<i>Ardea goliath</i>							1		1
116	Green-backed (Striated) Heron	<i>Butorides striata</i>							1		1
117	Grey Heron	<i>Ardea cinerea</i>		1							1
118	Squacco Heron	<i>Ardeola ralloides</i>			1	1					2
119	African Hoopoe	<i>Upupa africana</i>		1	1	1	1		1	1	6
120	African Grey Hornbill	<i>Lophoceros nasutus</i>		1	1	1			1		4
121	Southern Red-billed Hornbill	<i>Tockus rufirostris</i>			1	1			1		3
122	Southern Yellow-billed Hornbill	<i>Tockus leucomelas</i>			1	1		1	1		4
123	African Sacred Ibis	<i>Threskiornis aethiopicus</i>		1	1	1					3
124	Glossy Ibis	<i>Plegadis falcinellus</i>			1						1
125	Hadeda Ibis	<i>Bostrychia hagedash</i>			1	1	1	1	1	1	6
126	Dusky Indigobird	<i>Vidua funerea</i>		1							1
127	African Jacana	<i>Actophilornis africanus</i>			1	1			1		3
128	Greater Kestrel	<i>Falco rupicoloides</i>			1						1
129	Lesser Kestrel	<i>Falco naumanni</i>			1						1
130	Rock Kestrel	<i>Falco rupicolus</i>								1	1

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
131	Brown-hooded Kingfisher	<i>Halcyon albiventris</i>		1					1		2
132	Giant Kingfisher	<i>Megaceryle maxima</i>			1		1	1			3
133	Malachite Kingfisher	<i>Alcedo cristata</i>						1			1
134	Pied Kingfisher	<i>Ceryle rudis</i>		1	1				1	1	4
135	Striped Kingfisher	<i>Halcyon chelicuti</i>						H			0
136	Woodland Kingfisher	<i>Halcyon senegalensis</i>			1	1		H	1		3
137	Black-winged Kite	<i>Elanus caeruleus</i>		1	1	1	1	1	1	1	7
138	Yellow-billed Kite	<i>Milvus aegyptius</i>			1				1		2
139	Northern Black Korhaan	<i>Afrotis afraoides</i>			1	1					2
140	Red-crested Korhaan	<i>Lophotis ruficrista</i>				1		1	1		3
141	African Wattled Lapwing	<i>Vanellus senegallus</i>		1	1	1					3
142	Blacksmith Lapwing	<i>Vanellus armatus</i>		1	1	1		1	1	1	6
143	Crowned Lapwing	<i>Vanellus coronatus</i>		1	1	1		1	1		5
144	Chestnut-backed Sparrow-lark	<i>Eremopterix leucotis</i>			1						1
145	Eastern Long-billed Lark	<i>Certhilauda semitorquata</i>								1	1
146	Rufous-naped Lark	<i>Mirafraga africana</i>		1	1	1					3
147	Sabota Lark	<i>Calendulauda sabota</i>		1	1	1			1		4
148	Cape Longclaw	<i>Macronyx capensis</i>								1	1
149	Bronze Mannikin	<i>Lonchura cucullata</i>					1				1
150	Banded Martin	<i>Riparia cincta</i>								1	1
151	Brown-throated Martin	<i>Riparia paludicola</i>			1			1			2
152	Common House Martin	<i>Delichon urbicum</i>			1						1
153	Rock Martin	<i>Ptyonoprogne fuligula</i>				1		1	1	1	4
154	Common Moorhen	<i>Gallinula chloropus</i>					1				1
155	Red-faced Mousebird	<i>Urocolius indicus</i>		1	1	1			1		4
156	Speckled Mousebird	<i>Colius striatus</i>				1	1	1		1	4
157	White-backed Mousebird	<i>Colius colius</i>				1					1
158	Common Myna	<i>Acridotheres tristis</i>		1	1	1	1	1	1	1	7
159	Neddicky	<i>Cisticola fulvicapilla</i>			1			1	1		3
160	Freckled Nightjar	<i>Caprimulgus tristigma</i>						1			1
161	Rufous-cheeked Nightjar	<i>Caprimulgus rufigena</i>		1							1
162	Black-headed Oriole	<i>Oriolus larvatus</i>			1	1			H		2
163	Common Ostrich	<i>Struthio camelus</i>				1				1	2
164	African Scops Owl	<i>Otus senegalensis</i>						H			0
165	African Barred Owlet	<i>Glaucidium capense</i>						H	H		0
166	Pearl-spotted Owlet	<i>Glaucidium perlatum</i>						H			0
167	Red-billed Oxpecker	<i>Buphagus erythrorhynchus</i>			1	1		1	1		4
168	Cape Parrot	<i>Poicephalus robustus</i>	EN, VU				1	1			2
169	Indian Peafowl	<i>Pavo cristatus</i>				1	1				2
170	Yellow-throated Bush Sparrow	<i>Gymnoris superciliaris</i>		1							1
171	African Green Pigeon	<i>Treron calvus</i>							1		1
172	African Olive Pigeon	<i>Columba arquatrix</i>					1			1	2

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
173	Speckled Pigeon	<i>Columba guinea</i>		1	1	1			1	1	5
174	African Pipit	<i>Anthus cinnamomeus</i>		1	1	1				1	4
175	Buffy Pipit	<i>Anthus vaalensis</i>							1		1
176	Plain-backed Pipit	<i>Anthus leucophrys</i>							1		1
177	Yellow-breasted Pipit	<i>Anthus chloris</i>	VU, VU							1	1
178	Three-banded Plover	<i>Charadrius tricollaris</i>		1	1	1		1	1		5
179	Black-chested Prinia	<i>Prinia flavicans</i>			1						1
180	Drakensberg Prinia	<i>Prinia hypoxantha</i>					1	1			2
181	Tawny-flanked Prinia	<i>Prinia subflava</i>		H	1	1		1	1	1	5
182	Black-backed Puffback	<i>Dryoscopus cubla</i>				1	1		1	H	3
183	Green-winged Pytilia	<i>Pytilia melba</i>		1	1	1					3
184	Common Quail	<i>Coturnix coturnix</i>								1	1
185	Red-billed Quelea	<i>Quelea quelea</i>			1				1	1	3
186	Cape Robin-chat	<i>Cossypha caffra</i>				1	1	1	H	1	4
187	Chorister Robin-chat	<i>Cossypha dichroa</i>					1	1			2
188	White-browed Robin-chat	<i>Cossypha heuglini</i>				1	1	H			2
189	White-throated Robin-chat	<i>Cossypha humeralis</i>					1				1
190	Bearded Scrub Robin	<i>Cercotrichas quadrivirgata</i>			1						1
191	Kalahari Scrub Robin	<i>Cercotrichas paena</i>		1	1	1					3
192	White-browed Scrub Robin	<i>Cercotrichas leucophrys</i>		1	1	1			1		4
193	White-starred Robin	<i>Pogonocichla stellata</i>					1	1			2
194	Lilac-breasted Roller	<i>Coracias caudatus</i>			1				1		2
195	Purple Roller	<i>Coracias naevius</i>			1	1		1			3
196	Common Sandpiper	<i>Actitis hypoleucos</i>						1	1		2
197	Black Saw-wing	<i>Psalidoprocne pristoptera</i>					1	1			2
198	Common Scimitarbill	<i>Rhinopomastus cyanomelas</i>							1		1
199	Streaky-headed Seedeater	<i>Crithagra gularis</i>					1			1	2
200	Shikra	<i>Accipiter badius</i>			1						1
201	Crimson-breasted Shrike	<i>Laniarius atrococcineus</i>			1	1					2
202	Lesser Grey Shrike	<i>Lanius minor</i>		1	1	1					3
203	Magpie Shrike	<i>Corvinella melanoleuca</i>			1	1	1				3
204	Red-backed Shrike	<i>Lanius collurio</i>		1	1	1			1		4
205	White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>		1	1	1					3
206	Cape Sparrow	<i>Passer melanurus</i>			1	1			1		3
207	House Sparrow	<i>Passer domesticus</i>		1	1					1	3
208	Southern Grey-headed Sparrow	<i>Passer diffusus</i>		1	1	1	1	1	1		6
209	African Spoonbill	<i>Platalea alba</i>		1					1		2
210	Natal Spurfowl	<i>Pternistis natalensis</i>		1	1	1			1	1	5
211	Swainson's Spurfowl	<i>Pternistis swainsonii</i>		1	1	1					3
212	Burchell's Starling	<i>Lamprotornis australis</i>			1	1		1	1		4
213	Cape Glossy Starling	<i>Lamprotornis nitens</i>		1	1	1	1	1	1		6
214	Pied Starling	<i>Lamprotornis bicolor</i>								1	1

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
215	Red-winged Starling	<i>Onychognathus morio</i>		1	1	1	1	1	1	1	7
216	Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>				1			1		2
217	Wattled Starling	<i>Creatophora cinerea</i>			1						1
218	Black-winged Stilt	<i>Himantopus himantopus</i>			1						1
219	African Stonechat	<i>Saxicola torquatus</i>				1	1		1	1	4
220	Black Stork	<i>Ciconia nigra</i>	VU, LC						1		1
221	Marabou Stork	<i>Leptoptilos crumenifer</i>	NT, LC		1						1
222	Woolly-necked Stork	<i>Ciconia episcopus</i>					1				1
223	Yellow-billed Stork	<i>Mycteria ibis</i>	EN, LC						1		1
224	Amethyst Sunbird	<i>Chalcomitra amethystina</i>		1	1		1			1	4
225	Greater Double-collared Sunbird	<i>Cinnyris afer</i>					1	1	1		3
226	Malachite Sunbird	<i>Nectarinia famosa</i>								1	1
227	Marico Sunbird	<i>Cinnyris mariquensis</i>				1					1
228	White-bellied Sunbird	<i>Cinnyris talatala</i>		1	1	1	1		1		5
229	Barn Swallow	<i>Hirundo rustica</i>		1	1	1	1	1	1	1	7
230	Greater Striped Swallow	<i>Cecropis cucullata</i>			1	1	1	1	1	1	6
231	Lesser Striped Swallow	<i>Cecropis abyssinica</i>		1	1		1	1			4
232	Mosque Swallow	<i>Cecropis senegalensis</i>			1	1	1				3
233	Pearl-breasted Swallow	<i>Hirundo dimidiata</i>						1			1
234	South African Cliff Swallow	<i>Petrochelidon spilodera</i>			1						1
235	White-throated Swallow	<i>Hirundo albigularis</i>					1			1	2
236	Wire-tailed Swallow	<i>Hirundo smithii</i>			1						1
237	African (Purple) Swamphen	<i>Porphyrio madagascariensis</i>					1				1
238	African Black Swift	<i>Apus barbatus</i>			1	1	1	1	1	1	6
239	African Palm Swift	<i>Cypsiurus parvus</i>		1	1	1	1	1	1	1	7
240	Alpine Swift	<i>Tachymarptis melba</i>					1		1	1	3
241	Little Swift	<i>Apus affinis</i>		1	1	1	1	1	1	1	7
242	White-rumped Swift	<i>Apus caffer</i>		1	1	1	1				4
243	Black-crowned Tchagra	<i>Tchagra senegalus</i>				1					1
244	Brown-crowned Tchagra	<i>Tchagra australis</i>			1						1
245	Red-billed Teal	<i>Anas erythrorhyncha</i>			1						1
246	Caspian Tern	<i>Hydropogone caspia</i>	VU, LC	1							1
247	Whiskered Tern	<i>Chlidonias hybrida</i>								1	1
248	White-winged Tern	<i>Chlidonias leucopterus</i>			1		1				2
249	Spotted Thick-knee	<i>Burhinus capensis</i>			1	1			1		3
250	Water Thick-knee	<i>Burhinus vermiculatus</i>		1				1	1	H	3
251	Groundscraper Thrush	<i>Turdus litsitsirupa</i>		1					H	1	2
252	Karoo Thrush	<i>Turdus smithi</i>		1							1
253	Kurrichane Thrush	<i>Turdus libonyanus</i>		1			1	1	H		3
254	Olive Thrush	<i>Turdus olivaceus</i>					1			1	2

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
255	Sentinel Rock Thrush	<i>Monticola explorator</i>	LC, NT							1	1
256	Chestnut-vented Tit-Babbler	<i>Sylvia subcoerulea</i>			1	1					2
257	Narina Trogon	<i>Apaloderma narina</i>					1	1	H		2
258	Knysna Turaco	<i>Tauraco corythaix</i>					1	1			2
259	Purple-crested Turaco	<i>Tauraco porphyreolophus</i>							H	H	0
260	White-backed Vulture	<i>Gyps africanus</i>	CR, CR						1		1
261	White-headed Vulture	<i>Trigonoceps occipitalis</i>	CR, CR			1					1
262	African Pied Wagtail	<i>Motacilla aquimp</i>		1		1	1		1	1	5
263	Cape Wagtail	<i>Motacilla capensis</i>		1	1	1	1	1	1	1	7
264	Mountain Wagtail	<i>Motacilla clara</i>					1				1
265	Barratt's Warbler	<i>Bradypterus barratti</i>					1				1
266	Dark-capped Yellow Warbler	<i>Iduna natalensis</i>				1	1	1			3
267	Lesser Swamp Warbler	<i>Acrocephalus gracilirostris</i>								1	1
268	Willow Warbler	<i>Phylloscopus trochilus</i>			H	1	1		H	H	2
269	Black-faced Waxbill	<i>Estrilda erythronotos</i>			1	1					2
270	Blue Waxbill	<i>Uraeginthus angolensis</i>		1	1	1		1	1		5
271	Common Waxbill	<i>Estrilda astrild</i>			1		1	1		1	4
272	Swee Waxbill	<i>Coccygia melanotis</i>					1				1
273	Violet-eared Waxbill	<i>Uraeginthus granatinus</i>			1						1
274	Cape Weaver	<i>Ploceus capensis</i>						1	1	1	3
275	Lesser Masked Weaver	<i>Ploceus intermedius</i>						1			1
276	Red-billed Buffalo Weaver	<i>Bubalornis niger</i>			1			1	1		3
277	Red-headed Weaver	<i>Anaplectes rubriceps</i>			1				1		2
278	Southern Masked Weaver	<i>Ploceus velatus</i>		1	1	1	1				4
279	Thick-billed Weaver	<i>Amblyospiza albifrons</i>					1			1	2
280	Village Weaver	<i>Ploceus cucullatus</i>							1	1	2
281	Capped Wheatear	<i>Oenanthe pileata</i>		1							1
282	Cape White-eye	<i>Zosterops virens</i>					1	1	1		3
283	Long-tailed Paradise Whydah	<i>Vidua paradisaea</i>				1					1
284	Pin-tailed Whydah	<i>Vidua macroura</i>				1					1
285	Fan-tailed Widowbird	<i>Euplectes axillaris</i>								1	1
286	Long-tailed Widowbird	<i>Euplectes progne</i>								1	1
287	Red-collared Widowbird	<i>Euplectes ardens</i>					1		1	1	3
288	White-winged Widowbird	<i>Euplectes albonotatus</i>				1			1		2
289	Green Wood-hoopoe	<i>Phoeniculus purpureus</i>							1		1
290	Golden-tailed Woodpecker	<i>Campethera abingoni</i>					H				0
291	Ground Woodpecker	<i>Geocolaptes olivaceus</i>	LC, NT							1	1
292	Olive Woodpecker	<i>Dendropicops griseocephalus</i>					1	1			2
293	Red-throated Wryneck	<i>Jynx ruficollis</i>								1	1
GRAND TOTAL		293	Seen	78	139	121	105	84	128	100	727

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
			Heard	5	3	3	4	11	9	6	41

Mammals



African Elephant (*Loxodonta africana*)



Hippopotamus (*Hippopotamus amphibius*)

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
1	Chacma Baboon	<i>Papio ursinus</i>					H		1		1
2	Free-tailed Bat	<i>Tadarida sp.</i>						1			1
3	Blesbok	<i>Damaliscus phillipsi</i>			1	1				1	3
4	Bushbuck	<i>Tragelaphus scriptus</i>							1		1
5	African Wild Cat	<i>Felis lybica</i>						1			1
6	Common Duiker	<i>Sylvicapra grimmia</i>			1	1	1			1	4
7	African Elephant	<i>Loxodonta africana</i>		1	1			1	1		4
8	South African Giraffe	<i>Giraffa camelopardalis</i>		1	1	1		1			4
9	Scrub Hare	<i>Lepus saxatilis</i>				1					1
10	Red Hartebeest	<i>Alcelaphus buselaphus</i>		1	1					1	3
11	Eland	<i>Taurotragus oryx</i>			1	1					2
12	Hippopotamus	<i>Hippopotamus amphibius</i>		1	1			1			3
13	Impala	<i>Aepyceros melampus</i>		1	1	1		1	1		5
14	Blackbacked Jackal	<i>Canis mesomelas</i>		1							1
15	Greater Kudu	<i>Tragelaphus strepsiceros</i>		1	1	1		1			4
16	Lion	<i>Panthera leo</i>		1		C		1			2
17	Slender Mongoose	<i>Galerella sanguinea</i>						1			1
18	Yellow Mongoose	<i>Cynictis penicillata</i>								1	1
19	Samango Monkey	<i>Cercopithecus mitis</i>				1	1				2
20	Vervet Monkey	<i>Cercopithecus aethiops</i>		1	1	1		1	1	1	6
21	Nyala	<i>Tragelaphus angasii</i>			1	1				1	3
22	Oribi	<i>Ourebia ourebi</i>							1		1
23	Oryx	<i>Oryx gazella</i>				1				1	2
24	Cape Clawless Otter	<i>Aonyx capensis</i>							1		1
25	Common Reedbuck	<i>Redunca fulvorufula</i>								1	1
26	Mountain Reedbuck	<i>Redunca arundinum</i>		1					1		2
27	Black Rhinoceros	<i>Diceros bicornis</i>		1				1			2
28	White Rhinoceros	<i>Ceratotherium simum</i>		1	1						2
29	Roan	<i>Hippotragus equinus</i>				1				1	2

30	Sable	<i>Hippotragus niger</i>			R	R				R	0
31	Springbok	<i>Antidorcas marsupialis</i>			R						0
32	Tree Squirrel	<i>Paraxerus cepapi</i>				1			1		2
33	Steenbok	<i>Raphicerus campestris</i>			1	1		1	1	1	5
34	Tsessebe	<i>Damaliscus lunatus</i>				1					1
35	Waterbuck	<i>Kobus ellipsiprymnus</i>	1	1	1				1		4
36	Warthog	<i>Phacochoerus aethiopicus</i>	1	1	1			1	1		5
37	Black Wildebeest	<i>Connochaetes gnou</i>								1	1
38	Blue Wildebeest	<i>Connochaetes taurinus</i>	1	1	1						3
39	Golden Wildebeest	<i>Connochaetes taurinus</i>			R						0
40	Burchell's Zebra	<i>Equus burchellii</i>	1	1	1				1	1	5
GRAND TOTAL		40	Seen	16	20	21	3	13	13	13	92

Reptiles



Drakensberg Crag Lizard (*Pseudocordylus melanotus*)

No.	Full Name	Scientific Name	Red Data Status	Day							Total
				1	2	3	4	5	6	7	
1	Leopard Tortoise	<i>Stigmochelys pardalis</i>						1			1
2	Giant Plated Lizard	<i>Gerrhosaurus validus</i>							1		1
3	Rainbow Skink	<i>Trachylepis margaritifer</i>		1	1	1		1	1		5
4	African Striped Skink	<i>Trachylepis striata</i>				1					1
5	Nile Crocodile	<i>Crocodylus niloticus</i>						1	1		2
6	Drakensberg Crag Lizard	<i>Pseudocordylus melanotus subviridis</i>								1	1
7	Incomplete – many others identified but not listed										
8											
9											
GRAND TOTAL		6+	Seen	1	1	2	0	3	3	1	11

Butterflies



Rainforest Brown (*Cassionympha cassius*)



White-barred Acraea (*Hyalites encedon encedon*)

No.	Full Name	Scientific Name	Red Data Status	Day							Total	
				1	2	3	4	5	6	7		
1	Rainforest Acraea	<i>Acraea boopis boopis</i>				1	1					2
2	White-barred Acraea	<i>Hyalites encedon encedon</i>				1	1					2
3	Rainforest Brown	<i>Cassionympha cassius</i>										0
4	Blotched Leopard	<i>Lachnoptera ayresii</i>				1						1
5	African Monarch	<i>Danaus chrysippus aegyptius</i>		1		1	1	1				4
6	Blue Pansy	<i>Junonia oenone oenone</i>					1		1			2
7	Yellow Pansy	<i>Junonia hierta cebrene</i>			1	1			1			3
8	Citrus Swallowtail	<i>Papilio demodocus demodocus</i>		1		1		1				3
9	Gold Spotted Sylph	<i>Metisella metis</i>					1					1
10	Incomplete – many others identified but not listed											
11												
12												
GRAND TOTAL		9+										

Amphibians



Bubbling Kassina (*Kassina senegalensis*)



Sharp-nosed Grass Frog (*Ptychadena oxyrynchus*)

No.	Full Name	Scientific Name	Red Data Status	Day							Total	
				1	2	3	4	5	6	7		
1	Bubbling Kassina	<i>Kassina senegalensis</i>			1							1
2	Guttural Toad	<i>Sclerophrys gutturalis</i>		1			1			1		3
3	Sharp-nosed Grass Frog	<i>Ptychadena oxyrhynchus</i>			1			1				2
7	Incomplete – many others identified but not listed											
8												
9												
GRAND TOTAL		3+	Seen	1	2	0	1	1	1	0		6



Morning coffee on the Olifants River floodplain



Mount Anderson vistas

© Sustain Wildlife and Birding Safaris



Address: 23 Beech Road, Glen Anil, Durban North, KwaZulu-Natal, South Africa, 4051

Cell: +27 83 670 1436

Fax: +27 86 551 5736

Email: info@sustainsafaris.com

Web: www.sustainsafaris.com

Facebook: SustainSafaris

Contact: Michael Wright

michael@sustainsafaris.com